	CNS DEPRESSANT	CNS STIMULANT	HALLUCINOGEN	PCP	NARCOTICS	INHALANT	CANNABIS
HGN	PRESENT	NONE	NONE	PRESENT	NONE	PRESENT	NONE
VN	PRESENT*	NONE	NONE	PRESENT*	NONE	PRESENT*	NONE
LOC	PRESENT	NONE	NONE	PRESENT	NONE	PRESENT	PRESENT
PUPIL SIZE	NORMAL (1)	DILATED	DILATED	NORMAL	CONSTRICTED	NORMAL (4)	DILATED (6)
REACTION TO LIGHT	SLOW	SLOW	NORMAL (3)	NORMAL	LITTLE TO NONE	SLOW	NORMAL
PULSE	DOWN (2)	UP	UP	UP	DOWN	UP	UP
BLOOD PRESSURE	DOWN	UP	UP	UP	DOWN	UP/DOWN (5)	UP
TEMP	NORMAL	UP	UP	UP	DOWN	ALL	NORMAL

- Soma, Quaaludes usually dilate pupils.
 Quaaludes and ETOH may elevate.
 Certain psychedelic amphetamines cause slowing
- CNS DEPRESSANT | CNS STIMULANT | HALLUCINOGEN |
- (4) Normal but may be dilated.(5) Down w/anesthetic gases, up with volatile solvents and aerosols.(6) Pupil size, possibly normal.
- PCP

	CNS DEPRESSANT	CNS STIMULANT	HALLUCINOGEN	PCP	NARCOTICS	INHALANT	CANNABIS
GENERAL INDICATOR	Uncoordinated Disoriented Thick or slurred speech Drowsy Droopy Eyes Fumbling Bloodshot, watery eyes	Restless Tremors Excited Euphoric Talkative Exaggerated reflexes Anxiety Bruxism Red nasal area Runny nose Loss of appetite Insomnia Increased alertness Dry mouth Irritable	Dazed appearance Tremors Synesthesia Hallucinations Paranoia Uncoordinated Nausea Disoriented Speech difficulties Sweating Poor perception of time and distance Memory loss Flashbacks Piloerection (LSD)	Sweating Warm to touch Blank stare Immediate HGN onset Speech difficulties High pain threshold Cyclic behavior Confused Agitated Hallucinations Possibly violent Chemical odor "Moon walking"	Ptosis "On the nod" Drowsy Depressed reflexes Low, raspy speech Dry mouth Facial itching Euphoria Fresh injection sites Track marks Nausea	Residue on face, hands, clothing, etc. Chemical odor Possible nausea Slurred speech Bloodshot, watery eyes Flushed face Noncommunicative Intense headaches Stuporous Disoriented	Red eyes Odor of burnt marijuana Debris in mouth Eyelid tremors Body tremors Relaxed inhibitions Increased appetite Impaired perception of time and distance Disoriented Possible paranoia
DURATION OF EFFECTS	Barbiturates 1-16 hours Tranquilizers 4-8 hours Qualudes 4-8 hours	Cocaine 5-90 minutes Amphetamines 4-8 hours Methamphetamines 12 hours	Varied	Onset 1-5 minutes Peak 15-30 minutes Lasting 4-6 hours	Heroin 4-6 hours Methadone 24 hours Others Vary	Volatile Solvents 6-8 hours Others Short	Euphoria 2-3 hours Impairment may be seen up to 24 hours
SIGNS OF INGESTION	Oral/Injected	Snorted/smoked Oral/Injected	Snorted/smoked Oral/Injected Transdermal	Smoked/oral Injected/ Snorted Transdermal	Injected/Oral Smoked/snorted	Inhaled	Smoked/oral
OVERDOSE	Shallow breathing Cold, clammy skin Dilated pupils Rapid, weak pulse	Agitation High temperature Hallucinations Convultions	Long intense trip	Long intense trip	Slow, shallow breathing Clammy skin Convulsions	Coma	Fatigue Paranoia